

# Brake Fluid & Temperature Records



+ + + +  
 + + + +  
 + + + +  
 + + + +



**P/N 04.8164.11**  
**LCF 600 PLUS BRAKE FLUID - 500cc**


Exclusively for racing use.  
 Brembo Racing LCF 600 plus has been specifically formulated to provide the highest performance under all racing conditions:

- an independently proven low compressibility at high temperatures
- a typical dry boiling point of 316°C (601°F)
- a typical wet boiling point of 204°C (399°F)

It even exceeds the requirements of U.S. FMVSS 116 DOT4 specification.

**COMPATIBILITY**

Compatible with all Brembo Racing Brake Systems.  
 It can be mixed with other DOT3 and DOT4 racing brake fluids but for maximum performance advantage, before filling, other types of fluid should be drained from the brake system to avoid diluting the fluid characteristic.  
 Brembo LCF 600 plus must not be used in Brake Systems containing magnesium parts.



6




**P/N 04.8164.20**  
**HTC 64T BRAKE FLUID - 500cc**

Exclusively for racing use.  
 Brembo Racing HTC 64T plus has been specifically formulated to provide the highest performance under all racing conditions:

- an independently proven low compressibility at high temperatures
- a typical dry boiling point of 335°C (635°F)

**COMPATIBILITY**

Compatible with all Brembo Racing Brake Systems.  
 It can be mixed with other DOT3 and DOT4 racing brake fluids but for maximum performance advantage, before filling, other types of fluid should be drained from the brake system to avoid diluting the fluid characteristic.  
 Brembo HTC 64T plus must not be used in Brake Systems containing magnesium parts.



+ + + +  
 + + + +  
 + + + +  
 + + + +



**P/N 02.5711.10**  
**TEMPERATURE PAINTS**

Paint Colour	Temperature of Toner
GREEN	430°C / 806°F
ORANGE	560°C / 1040°F
RED	610°C / 1130°F

+++  
 +++  
 +++  
 +++



**P/N 02.5168.10/13**  
**CALIPER THERMO TAPES**

P/N	Temperature Range
02.5168.10	From 132°C/270°F to 210°C/410°F
02.5168.11	From 88°C/190°F to 127°C/260°F
02.5168.12	From 132°C/270°F to 171°C/340°F
02.5168.13	From 210°C/410°F to 260°C/500°F

**P/N 02.5168.20/23/25**  
**SMALLER CALIPER THERMO TAPES**

P/N	Temperature Range
02.5168.20	From 132°C to 210°C
02.5168.23	From 210°C to 260°C
02.5168.25	From 350°C to 450°C



**P/N 02.5223.10**  
**TEMPERATURE RECORD NOTPAD**

+++  
 +++  
 +++  
 +++

M-10x100